SAFETY DATA SHEET

1. SECTION 1: IDENTIFICATION

1.1 Product Identifier

Product Identifier AmeriPride Pot and Pan Detergent

CAS No. Mixture

1.2 Recommended use of the chemical and

restrictions on use

Identified Use(s)Institutional Cleaning ProductUses Advised AgainstNot intended for household purpose

1.3 Supplier's details

Company Identification Manufactured for AmeriPride by Washing Systems, LLC

167 Commerce Dr., Loveland, OH 45140

Telephone (513) 870-4830 Fax (513) 870-4850

E-mail <u>msds@washingsystems.com</u>

1.4 Emergency Phone No. Chemtrec: (800) 424-9300

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Serious eye damage: Category 1 (H318) Skin corrosion/irritation: Category 1B (H314) Acute toxicity, Oral: Category 4 (H302) Acute toxicity, Dermal: Category 4 (H312) Acute toxicity, inhalation: Category 4 (H332) Chronic aquatic toxicity: Category 3 (H412)

2.2 Label elements

Hazard Pictogram(s)



Signal Word(s): DANGER Hazard Statement(s):

H303+H312+H332: Harmful if swallowed, in contact with skin or if inhaled.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

P261: Avoid breathing dust/fumes/ gas/mist/vapors/spray.

P264: Wash (hands and exposed skin) thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors and well-ventillated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312+P330: IF SWALLOWED: Call a Poison Center or doctor/physician if you feel

unwell. Rinse mouth.

P301+P330+P331: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Revision: 1 Page: 1/6 Date: 07/01/2015

P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P332+P313: If skin irritation occurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse.

2.3 Hazards Not Otherwise Known:

None

2.4 Additional Information:

None

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

| Hazardous Ingredient(s) | CAS No. | %W/W |
|---------------------------------|------------|-------|
| Alkyl Ether Sulfate Sodium Salt | 68585-34-2 | 15-25 |
| Lauramine Oxide | 1643-20-5 | 3-10 |
| Alcohols, C10-16, ethoxylated | 68002-97-1 | 3-5 |

3.3 Additional Information

None

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation Move person to fresh air. If person is not breathing, call 911

or an ambulance, then give artificial respiration. If irritation

develops and persists, get medical attention.

Skin Contact Wash with plenty of soap and water. If irritation develops

and persists, get medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding

eyelids open. Get medical attention.

Ingestion Do NOT induce vomiting. Do not give anything by mouth to

an unconscious person. Rinse mouth. Get immediate

medical advice/attention.

4.2 Most important symptoms and effects, both

acute and delayed

The most important known symptoms and effects are described in the labeling (section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention

and special treatment needed

Not known.

None known.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

Any media, which is suitable, such as water spray, CO2, dry

chemical. This product will not burn.

Unsuitable Extinguishing Media

Revision: 1 Page: 2/6 Date: 07/01/2015

None known.

5.2 Special hazards arising from the substance or

nixture

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions. Water spray

should be used to cool containers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Do not eat, drink or smoke during work. Wear appropriate personal protective equipment, avoid direct contact. Wear

protective gloves/eye protection.

6.2 Environmental precautions

Prevent liquid entering sewers, basements and any

watercourses.

6.3 Methods and material for containment and

cleaning up

In event of a spill, evacuate danger area. Stop leak if safe to do so. Provide adequate ventilation. Cover with absorbent or contain. Collect and dispose. Wash the spillage area with

water.

6.4 Reference to other sections

See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Keep container tightly closed and in a well-ventilated place.

Do not get in eyes, on skin, or on clothing. Avoid breathing mist/spray. Avoid ingestion. Wash thoroughly after handling.

Avoid prolonged skin contact.

7.2 Conditions for safe storage, including any

incompatibilities

Keep container tightly closed and dry. Store in a well-ventilated place. Keep/store away from: Incompatible

materials.

7.2.3 Incompatible materials See Section: SECTION 10

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters
Occupational Exposure Limits

| SUBSTANCE | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA | STEL (ppm) | STEL (mg/m³) | Note |
|---------------------|------------|------------------------|-------------------|-------------|-----------------|-------------|
| | | | mg/m³) | | | |
| Alkyl Ether Sulfate | 68585-34-2 | None | None | None | None | None |
| Sodium Salt | | established | established | established | established | established |
| Lauramine Oxide | 1643-20-5 | None | None | None | None | None |
| | | established | established | established | established | established |
| Alcohols, C10-16, | 68002-97-1 | Not | Not | Not | Not | Not |
| Ethoxylated | | established | established | established | established | established |

Source: OECD SIDS and ChemInfo.

8.2 Appropriate engineering controls

Use only with adequate ventilation to keep exposures (airborne levels of dust, fumes, vapor, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Goggles.



Skin protection

Protective gloves. Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of

Revision: 1 Page: 3/6 Date: 07/01/2015



protection is required.

Respiratory protection



Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Use NIOSH approved respiratory protection.

Thermal hazards None known.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.

9.1 Information on basic physical and chemical

properties Appearance Liquid Color. Orange liquid Odor Fragrant Odor Odor Threshold Not available pН 10.5-11.9 Melting Point/Freezing Point Not available Initial boiling point and boiling range Not available Flash point None **Evaporation Rate** Not available Flammability (solid, gas) Not available Upper/lower flammability or explosive limits Not available Vapor pressure Not available Vapor density Not available Relative density 1.02 g/cc Solubility(ies) Water Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available **Decomposition Temperature** Not available Viscosity Not available Explosive properties None known

SECTION 10: STABILITY AND REACTIVITY 10.

10.1 Reactivity Stable.

Oxidizing properties

Other information

9.2

Chemical stability Stable under normal conditions. 10.2

10.3 Possibility of hazardous reactions Will not occur.

10.4 Conditions to avoid Conditions to avoid: prolonged exposure-Heat and Air. Acids. Strongly alkaline. Strong oxidizing agents. Halogens. 10.5 Incompatible materials

Aluminium.

None known

Not available

10.6 Hazardous decomposition product(s) Carbon dioxide. Carbon monoxide.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Acute Toxicity | CAS #68585-34-2 | CAS #68002-97-1 | CAS #1643-20-5 Laudamine Oxide |
|---------------------------|---|--|-----------------------------------|
| Ingestion | : LD50(rat): >2,000 mg/kg | : LD50(rat): >1,000 mg/kg | LD50(rat): >1065mg/kg |
| Inhalation | : No data available | : No data available | No data |
| Skin Contact | : LD50(rabbit): >2,000mg/kg | : No data available | LD50(rat): >2,000 mg/kg |
| Eye Contact | : Causes serious eye damage . | : No data available | Causes serious eye damage |
| Skin corrosion/irritation | : Irritation (rabbit): causes skin irritation | : Irritation (rabbit): Skin irritation (24 Hr): 4.4 (max score is 8) | Causes skin irritation |

Revision: 1 Page: 4/6 Date: 07/01/2015

Serious eye damage/irritation No data : Irritation (rabbit): Severe No data eye irritation 50.8 (max. score is 110). Irreversible effects on the eye. Respiratory or skin sensitization No data : No data available. No data Germ cell mutagenicity No evidence : No evidence of No evidence genotoxicity. Carcinogenicity Not established : Not listed as carcinogen Not established by IARC, ACGIH, NTP, OSHA. Reproductive toxicity No data : No data available. No data STOT - single exposure No data : No data. No data STOT - repeated exposure No data : May cause repiratory No data irritation. Aspiration hazard No data : Unlikely to be hazardous if No data

11.2 Other information No data Not available. No data

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity of Alkyl Ether Sulfate, sodium Alcohols, C10-16, Lauramine Oxide, CAS #1643-20-5 Ethoxylated; CAS #68002salt; CAS #68585-34-2 97-1: LC50 (fathead minnow): 2.3 LC50 (fathead minnow): 2.67 mg/m3 mg/m3 (96h) LC50 (fathead minnow): 227 EC50 (Daphnia magna): 3.1 mg/l - 48 EC50 (Daphnia magna): 2.3mg/m3 (96h) EC50 (Desmodesmus subspicatus-gr 4.8 mg/l - 48h EC50 (Daphnia magna): 68 alge): 0.19 mg/m3 (72h) EC50 (Desmodesmus mg/l - 48h subspicatus-green alge): no EC50 (Desmodesmus data subspicatus-green alge): 15 mg/m3 (72h) 12.2 Persistence and degradability No data available. No data available. No data available. 12.3 Bioaccumulative potential No data available. No data available. No data available. 12.4 Mobility in soil No data. No data. No data. Other adverse effects 12.5 None known. None known. None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Observe Local Regulations. Consult the supplier for safe

disposal of spillage waste and for decontamination of

swallowed.

spillage area.

References: SECTION 8:

14. SECTION 14: TRANSPORT INFORMATION

D.O.T. Classification

Not classified.

| 14.1 | UN number | Not applicable |
|------|------------------------------|----------------|
| 14.2 | Proper Shipping Name | Not applicable |
| 14.3 | Transport hazard class(es) | Not applicable |
| 14.4 | Packing group | Not applicable |
| 14.5 | Environmental hazards | Not applicable |
| 14.6 | Special precautions for user | Not applicable |

Revision: 1 Page: 5/6 Date: 07/01/2015

SECTION 15: REGULATORY INFORMATION 15.

15.1 **US Federal Regulations:**

TSCA Inventory Status: All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

CAS #68585-34-2 Alkyl ether sulfate, sodium salt Title III Consolidated List of

S. 302 (EHS): No. S 304 (RQ): No. S 311/312 HAZARDS IDENTIFICATION: Acute: Yes. Chronic: No. Fire: No.

Reactivity: No. Release potential pressure:

No.

S 313 (TRI): No.

CAS No. 68585-34-2

Proposition 65 (California): No. NJ RTK: Yes

NY Environmentally hazardous substance (PART 597): Yes.

PA Environmentally hazardous

CAS #1643-20-5 Lauramine Oxide

Title III Consolidated List of

Lists

S. 302 (EHS): No. S 304 (RQ): No. S 311/312 HAZARDS IDENTIFICATION:

Acute: Yes. Chronic: No. Fire: No. Reactivity: No.

Release potential pressure:

No.

S 313 (TRI): No.

substance (PART 597): Yes.

CAS No. 68002-97-1

Title III Consolidated List of Lists:

S. 302 (EHS): No. S 304 (RQ): No. S 311/312 HAZARDS **IDENTIFICATION:**

Acute: Yes. Chronic: No. Fire: No. Reactivity: No.

Release potential pressure: No.

S 313 (TRI): No.

15.1.1 Other regulations, restrictions and prohibition regulations:

USA

substance (HSL): Yes.

CAS No. 1643-20-5

Proposition 65 (California): No. NJ RTK: Yes

NY Environmentally hazardous

PA Environmentally hazardous substance (HSL): Yes.

CAS No. 68002-97-1

Proposition 65 (California): No.

NJ RTK: Yes

NY Environmentally hazardous substance (PART 597): Yes.

PA Environmentally hazardous substance (HSL): Yes.

15.2 Canada (DSL/NDSL): DSL: Yes. NDSL: No. DSL: Yes. NDSL: No. DSL: Yes. NDSL: No.

16. **SECTION 16: OTHER INFORMATION**

Date of preparation: 07/01/2015

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Washing Systems gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Washing Systems accepts no liability for loss or damage, resulting from reliance on this information.

The composition of the product is confidential.

| NFPA | | HMIS | HMIS | |
|-------------|------|------------------|------|--|
| Health | 2 | Health | 2 | |
| Fire | 0 | Flammability | 0 | |
| Instability | 0 | Physical hazards | 0 | |
| Specific | None | PPE | | |

LEGEND

LTEL Long Term Exposure Limit STEL Short Term Exposure Limit STOT Specific Target Organ Toxicity

OSHA Occupational Safety and Health Administration

TSCA Toxic Substances Control Act **NFPA** National Fire Protection Association **HMIS** Hazardous Material Information System

Revision: 1 Page: 6/6 Date: 07/01/2015